

**GUIDA DI UTILIZZO
 TERMINALI DI CODA AD AGGRAFFATURA
 00170, 00270, 0037, 00470**

**APPLICATION NOTE FOR
 00170, 00270, 0037, 00470
 END-CONNECTORS TERMINALS**

Combinazioni dei conduttori per connessioni volanti di coda ammesse da UL per i terminali di coda ad aggaffatura BM 00170, 00270, 00370, 00470:

UL approved wire combinations for crimping BM 00170, 00270, 00370, 00470 End-connectors terminals:

BM 00170				
AWG				
22	20	18	16	
5	-	-	-	-
4	1	-	-	-
4	-	-	-	-
3	-	-	-	-
3	1	-	-	-
3	-	1	-	-
2	2	-	-	-
2	1	-	-	-
2	-	1	-	-
2	-	-	-	-
1	2	-	-	-
1	1	1	-	-
1	1	-	-	-
1	-	-	1	-
-	3	1	-	-
-	2	1	-	-
-	2	-	1	-
-	1	1	-	-
-	1	-	-	-
-	-	2	-	-

BM 00270													
AWG					AWG					AWG			
22	20	18	16	14	22	20	18	16	14	20	18	16	14
7	-	-	-	-	2	1	2	-	-	5	-	-	-
6	-	-	-	-	2	1	1	-	-	4	1	-	-
5	1	-	-	-	2	1	-	1	-	4	-	1	-
5	-	1	-	-	2	1	-	-	-	4	-	-	-
5	-	-	-	-	2	-	2	-	-	3	1	-	-
4	2	-	-	-	2	-	1	1	-	3	-	1	-
4	1	-	-	-	2	-	1	-	-	3	-	-	-
4	-	1	-	-	2	-	-	1	-	2	2	-	-
4	-	-	1	-	2	-	-	-	-	2	1	1	-
4	-	-	-	-	1	4	-	-	-	2	1	-	-
3	3	-	-	-	1	3	1	-	-	2	-	1	-
3	2	1	-	-	1	3	-	-	-	2	-	-	-
3	2	-	1	-	1	2	1	-	-	1	3	-	-
3	2	-	-	-	1	2	-	1	-	1	2	-	-
3	1	2	-	-	1	2	-	-	-	1	1	1	-
3	1	1	-	-	1	1	2	-	-	1	1	-	-
3	1	1	-	-	1	1	2	-	-	1	-	2	-
3	1	-	-	-	1	1	-	1	-	1	-	1	-
3	-	2	-	-	1	1	-	-	-	1	-	-	1
3	-	1	-	-	1	-	3	-	-	-	3	-	-
3	-	-	1	-	1	-	2	-	-	-	2	1	-
3	-	-	-	-	1	-	1	1	-	-	2	-	-
2	4	-	-	-	1	-	1	-	-	-	1	1	-
2	3	-	-	-	1	-	-	1	-	-	-	-	-
2	2	1	-	-	1	-	-	-	1	-	-	-	-
2	2	-	-	-	-	-	-	-	-	-	-	-	-

BM 00370															
22	AWG					AWG					AWG				
	20	18	16	14	12	10	20	18	16	14	12	10	18	16	14
-	.	.	2	.	.	.	-	2	1	.	.	.	-	1	.
-	.	.	1	1	.	.	-	2	-	1	.
-	-	2	-	2	.
-	.	.	.	2	.	.	-	2	-	1	.
.	5	-	1	1	3	.	.	-	1	.
.	4	-	1	1	2	.	.	-	.	1
.	3	1	-	1	1	1	1	.	.	3	.
.	3	.	1	.	.	.	-	1	1	1	.	1	.	2	2
.	3	.	.	1	.	.	-	1	1	1	.	1	.	2	1
.	3	.	.	.	1	.	-	1	1	1	.	.	.	2	.
.	2	4	-	1	1	.	1	.	.	2	.
.	2	3	1	.	.	.	-	1	1	.	.	1	.	1	.
.	2	3	-	1	1	.	.	1	.	1	1
.	2	2	1	.	.	.	-	1	.	3	.	.	.	2	.
.	2	2	.	1	.	.	-	1	.	2	1
.	2	2	-	1	.	2
.	2	1	2	.	.	.	-	1	.	1	2
.	2	1	1	.	.	.	-	1	.	1	1
.	2	1	1	1	.	.	-	1	.	1	.	1	.	.	.
.	2	1	.	2	.	.	-	1	.	1
.	2	1	.	1	.	.	-	1	.	.	3
.	2	1	.	.	1	.	-	1	.	.	2
.	2	1	-	1	.	.	1
.	2	.	3	.	.	.	-	1	.	.	1
.	2	.	2	.	.	.	-	1	.	.	.	1	.	.	.
.	2	.	1	1	.	.	-	1	5
.	2	.	1	.	1	.	-	4	1
.	2	.	1	.	.	.	-	4
.	2	.	.	2	.	.	-	3	.	2
.	2	.	.	1	.	.	-	3	.	1
.	2	.	.	.	1	.	-	.	.	.	1
.	2	1	-	3
.	1	5	-	3
.	1	4	1	.	.	.	-	2	2
.	1	4	.	1	.	.	-	2	1	1
.	1	4	-	2	1
.	1	3	2	.	.	.	-	2	.	1
.	1	3	1	.	.	.	-	2	.	.	1
.	1	3	.	1	.	.	-	2
.	1	3	-	1	2	.	1
.	1	2	2	.	.	.	-	1	2
.	1	2	1	1	.	.	-	1	1	1
.	3	2	-

BM 00470																
AWG					AWG					AWG						
20	18	16	14	12	10	20	18	16	14	12	10	18	16	14	12	10
3	1	1	2	.	.	.	1	1	.	2	.	3
3	.	.	.	1	.	1	2	.	1	.	.	1	3	.	.	.
1	2	.	.	1	.	.	1	1	1	.	.	1	1	2	.	.
2	1	.	.	1	.	.	1	1	.	.	1	1	.	.	2	.
2	.	.	.	2	.	.	.	1	.	.	1	1	.	.	.	1
2	1	1	1	1
						1	1	.	.	1	.	.	2	2	.	.
						1	1	.	.	1	.	1	2	1	.	.
						1	.	3	1	2	.	.
						1	.	2	1	.	.	.	3	.	.	.
						2	.	.	3	1	.	.
						1	.	1	2	.	.	.	1	3	.	.
						.	.	1	1	.	1	.	2	1	.	.
						1	.	1	.	1	.	.	4	.	.	.
						1	.	.	3	4	.	.
						1	.	.	2	3	.	.
						.	.	.	1	.	1
						1	.	.	.	1
						1	1
					
						.	2	.	2
						.	.	.	1	1
						.	.	1	.	1
						.	3	.	.	1
						.	2	2
						.	2	1	.	1
						.	2	1
						.	1	.	3
						.	2	.	.	1
						.	2	.	.	.	1
						---	1	.	2
						.	1	.	1
						.	1	1